




HLC-81M

Main Features

- Mega-Pixel (1280x1024 resolution)
- Power over Ethernet Available
- MPEG-4/MJPEG compression format
- SD Card backup
- 2-way audio
- Support cell phone/PDA/3GPP
- Dual Streaming
- SDK for software integration
- Wireless available
- Free bundle 36 channel recording software



Interface



Unit: mm

Specifications

Hardware	
CPU	ARM 9, 32 bit RISC
RAM	64MB
Flash	8MB
Image Sensor	1/4" CMOS
Sensitivity	1.5 lux @ F2.0
Lens Type	4.0mm, F 2.0
I/O	Relay out
RS-485	Yes
Microphone	Built-in
Audio Out	1
Power over Ethernet	Optional
Power Consumption	LAN: DC 12V, 250mA WLAN: DC 12V, 350mA
Operating Temperature	0°C~40°C
Dimensions	65mm (W) x 58mm (H) x 131.5mm (D)
Weight	450 g
Network	
Ethernet	10/ 100 Base-T
Network Protocol	HTTP, TCP/ IP, UDP, SMTP, FTP, PPPoE, DHCP, DDNS, NTP, 3GPP, UPnP
Wireless	
Wireless	802.11b/g
Security	WEP, WPA-PSK, WPA2-PSK

System	
Video Resolution	1280x1024, 640x480, 320x240, 160x120
Video Adjust	Brightness, Contrast, Night Mode, Exposure, Sharpness, AGC
Dual Streaming	Yes
Image Snapshot	Yes
Full Screen Monitoring	Yes
Compression Format	MPEG-4/ MJPEG
Motion Detection	Yes, 3 different areas
Triggered Action	Mail, FTP, Save to SD Card, Relay
Pre/ Post Alarm	Yes, configurable
Security	Password protection
Firmware Upgrade	HTTP mode, can be upgraded remotely
Simultaneous Connection	Up to 10
Audio	Yes, 2-way (Duplex Support)
SD card management	
Recording Trigger	Motion Detection, IP check, Network status (Wire Connection Only), Relay
Video Format	AVI, JPEG
Video Playback	Yes
Delete Files	Yes
Client system requirements	
OS	Windows 2000/2003, XP, Vista, Microsoft IE 6.0 or above
Hardware	
Suggested	Intel-C 2.0G, RAM: 512MB, Graphic card: 64MB
Minimum	Intel-C 1.6G, RAM: 256MB, Graphic card: 32MB

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE